



GLIDE



GLIDE

Height-adjustable desks

The GLIDE Range

The Stebul GLIDE range of height adjustable, 'sit-stand' desks and tables include a range of electronic and manually operated models, available with or without worktops.

- Diplomat 1000
- Executive 800
- Manager 600
- Operator 400
- Economy 200
(manual)

All electronic models in the series feature touch button operation to easily set the optimal working height for any task or individual user. The GLIDE Diplomat 1000 can also be fitted with optional controls that can programme height, display user settings and add 'Wellness' features. Each model is either based on a telescopic frame or a twin cross-rail system to create a full range of desk sizes.



- Robust, sturdy design
- Quick and simple assembly
- Competitively priced
- 3-year warranty
- Tie-bar free design
- Full range, including 'Sit-Stand' specification
- Single carton packaging*



*Except 1000-Diplomat. Excludes desk top and optional components.

GLIDE Diplomat -1000



- Sit-Stand specification
- Three-stage LINAK® actuators
- Quiet, high-speed operation
- Stable twin cross-beam frame design
- Anti-collision feature
- Optional smart controls with pre-set memory
- Software interface & 'Wellness' features
- Suitable for use with under-desk pedestals


Standard features and specification

| Details | | |
|-----------------------|-----------------------------------|-------------|
| Height range | Min: 590mm | Max: 1250mm |
| Speed | 38mm / sec | |
| Controls | 2-button | |
| Actuator technology | LINAK® | |
| Anti-collision | Automatic | |
| Frame foot depth | 740mm | |
| Frame width | 1200/1400/1600/1800/2000mm | |
| Frame colours | Silver or White | |
| Desktop finishes | Diamond White or Buckingham Beech | |
| Desktop material | MFC | |
| Desktop sizes | See table 2 | |
| Cable management tray | 1000mm included | |

Options

- Custom RAL frame colours including black*
- Custom top sizes and finishes (HPL/Veneer)
- Cable management trays: 1200/1400/1600mm
- Alternative controls with memory, display and 'wellness' features – see page 10 for details
- USB/ programmable software interface.
- Locking castors

Dimensions



* subject to minimum order quantities

GLIDE Executive - 800



- Sit-Stand specification
- Three-stage actuators
- Quiet, high-speed drive motors
- Adjustable telescopic frame
- Choice of frame finishes and tops
- 2-button control with soft start-stop
- Single carton packaging
- Suitable for use with under-desk pedestals


Standard features and specification

| Details | | |
|---------------------|-----------------------------------|-------------|
| Height range | Min: 630mm | Max: 1270mm |
| Speed | 38mm / sec | |
| Controls | 2-button | |
| Actuator technology | Stebul-TAN | |
| Anti-collision | Manual | |
| Frame foot depth | 600mm / 800mm | |
| Frame width | 1150-1750mm | |
| Frame colours | Silver or White | |
| Desktop finishes | Diamond White or Buckingham Beech | |
| Desktop material | MFC | |
| Desktop sizes | See table 2 | |

Options

- Black frame finish*
- Custom top sizes and finishes (HPL/Veneer)
- Cable management tray: 1000/1200/1400/1600mm

Dimensions



* subject to minimum order quantities

GLIDE Manager - 600



- Sturdy, robust design
- Two-stage actuators
- Quiet, high-speed drive motors
- Adjustable telescopic frame
- 2-button control with soft start-stop
- Single carton packaging
- Suitable for use with under-desk pedestals


Standard features and specification

| Details | | |
|---------------------|-----------------------------------|-------------|
| Height range | Min: 670mm | Max: 1205mm |
| Speed | 36mm / sec | |
| Controls | 2-button | |
| Actuator technology | Stebul-TAN | |
| Anti-collision | Manual | |
| Frame foot depth | 800mm | |
| Frame width | 1150-1750mm | |
| Frame colours | Silver or White | |
| Desktop finishes | Diamond White or Buckingham Beech | |
| Desktop material | MFC | |
| Desktop sizes | See table 2 | |

Options

- Additional top finishes (MFC)
- Cable management tray: 1000/1200/1400/1600mm

Dimensions



GLIDE Operator - 400



- Two-stage actuators (round)
- Adjustable telescopic frame
- Quiet, high-speed drive motors
- 2-button control with soft start-stop
- Single carton packaging
- Suitable for use with under-desk pedestals


Standard features and specification

| Details | | |
|---------------------|-----------------------------------|-------------|
| Height range | Min: 670mm | Max: 1205mm |
| Speed | 36mm / sec | |
| Controls | 2-button | |
| Actuator technology | Stebul-TAN | |
| Anti-collision | Manual | |
| Frame foot depth | 800mm | |
| Frame width | 1150-1750mm | |
| Frame colours | Silver | |
| Desktop finishes | Diamond White or Buckingham Beech | |
| Desktop material | MFC | |
| Desktop sizes | See table 2 | |

Options

- Additional cable management tray: 1000/1200/1400/1600mm

Dimensions



GLIDE Height-adjustable Desks

GLIDE Economy - 200



- Sturdy, robust construction
- Manual two-stage leg units
- Crank-handle operation
- Quick and simple assembly
- Adjustable telescopic frame
- Single carton packaging
- Suitable for use with under-desk pedestals


Standard features and specification

| Details | | |
|------------------|-----------------------------------|-------------|
| Height range | Min: 690mm | Max: 1190mm |
| Speed | N/A | |
| Controls | Manual crank handle | |
| Anti-collision | Manual | |
| Frame foot depth | 800mm | |
| Frame width | 1050-1630mm | |
| Frame colours | Silver / White | |
| Desktop finishes | Diamond White or Buckingham Beech | |
| Desktop material | MFC | |
| Desktop sizes | See table 2 | |

Options

- Additional cable management tray: 1000/1200/1400/1600mm

Dimensions



Range Specification and options

Table 1 - Frames

| Model | 200 Economy | 400 Operator | 600 Manager | 800 Executive | 1000 Diplomat |
|----------------------------------|---------------|--------------|---------------|---------------|----------------|
| Actuator technology | N/A | Stebul-TAN | Stebul-TAN | Stebul-TAN | LINAK |
| Leg Type | Two-Stage | Two-stage | Two-stage | Three-stage | Three-stage |
| Leg Shape | Rectangular | Round | Rectangular | Rectangular | Rectangular |
| Height adjustment (mm) | | | | | |
| Min | 690 | 655 | 670 | 630 | 590 |
| Max | 1190 | 1170 | 1205 | 1270 | 1250 |
| Range | 500 | 515 | 535 | 640 | 660 |
| Speed (mm/sec – 0kg) | | | | | |
| | Manual | 36 | 36 | 38 | 38 |
| Actuator loading (kg/pair) | N/A | 140 | 140 | 160 | 200 |
| Limit detection (anti-collision) | Manual | Manual | Manual | Manual | Automatic |
| Usage/duty-cycle | Manual | Occasional | Frequent 1:10 | Frequent 1:10 | Frequent 1:10 |
| Frame Depth (foot) | 800mm | 800mm | 600/800mm | 600/800mm | 600/800mm |
| Frame Width | 1050 – 1630mm | 1100-1700mm | 1150-1750mm | 1150-1750mm | 900-1900mm |
| Frame colours | | | | | |
| Silver | ● | ● | ● | ● | ● |
| White | - | - | ● | ● | ● |
| Black* | - | - | - | ○ | ○ |
| 3-Leg Desk | | | | | |
| | - | - | - | - | Avail Dec. '16 |
| Cable management tray (mm) | | | | | |
| 1000 | ○ | ○ | ○ | ○ | ● |
| 1200 | ○ | ○ | ○ | ○ | ○ |
| 1400 | ○ | ○ | ○ | ○ | ○ |
| 1600 | ○ | ○ | ○ | ○ | ○ |

Table 2 - Tops

| | Size | | | | |
|------------------------------|------|---|---|---|---|
| 600 X 1200 | - | - | ● | ● | ● |
| 600 x 1400 | - | - | ○ | ○ | ○ |
| 600 X 1600 | - | - | ○ | ○ | ○ |
| 800 X 1200 | ● | ● | ● | ● | ● |
| 800 X 1400 | ● | ● | ● | ● | ● |
| 800 X 1600 | ● | ● | ● | ● | ● |
| 800 X 1800 | ○ | ○ | ○ | ○ | ○ |
| 800 X 2000 | - | - | - | - | ○ |
| Custom dimensions and Radial | - | - | - | - | ● |
| Material | | | | | |
| MFC | ● | ● | ● | ● | ● |
| HPL | - | - | - | ○ | ○ |
| Veneer | - | - | - | ○ | ○ |
| Top Colours | | | | | |
| Diamond White | ● | ● | ● | ● | ● |
| Buckingham Beech | ● | ● | ● | ● | ● |
| Ferrera Oak | - | - | ○ | ○ | ○ |
| English Walnut | - | - | ○ | ○ | ○ |
| Autumn Maple | - | - | ○ | ○ | ○ |
| Custom colour | - | - | ○ | ○ | ○ |

Key

- Standard
- Option
- Not available
- * Subject to MOQ

GLIDE Height-adjustable Desks

Price list

| Model | Economy 200 | Operator 400 | Manager 600 | Executive 800 | Diplomat 1000 |
|------------|--------------------------------------|-----------------|----------------|------------------|------------------|
| | Frames | | | | |
| 800mm feet | £359.00 | £540.00 | £575.00 | £595.00 | £785.00 |
| 600mm feet | | | £565.00 | £585.00 | £775.00 |
| | Frame Beams | | | | |
| 1200 | Not applicable | | | | +£0.00 |
| 1400 | | | | | +£5.00 |
| 1600 | | | | | +£10.00 |
| 1800 | | | | | +£14.00 |
| | Frame colour | | | | |
| Black* | - | - | - | POA | £POA |
| | 3-Leg Desk | | | | |
| | - | | | | TBA |
| | Cable management tray (mm) | | | | |
| 1000 | £47.00 £51.00 £55.50 £69.00 | | | | +£0.00 |
| 1200 | | | | | +£4.00 |
| 1400 | | | | | +£8.50 |
| 1600 | | | | | +£22.00 |

| All MFC | Tops | | | | |
|---|---|---------|---------|---------|---------|
| 600 X 1200 | - | - | £113.00 | £113.00 | £113.00 |
| 600 x 1400 | - | - | £122.00 | £122.00 | £122.00 |
| 600 X 1600 | - | - | £131.00 | £131.00 | £131.00 |
| 800 X 1200 | £130.00 | £130.00 | £130.00 | £130.00 | £130.00 |
| 800 X 1400 | £142.00 | £142.00 | £142.00 | £142.00 | £142.00 |
| 800 X 1600 | £155.00 | £155.00 | £155.00 | £155.00 | £155.00 |
| 800 X 1800 | £168.00 | £168.00 | £168.00 | £168.00 | £168.00 |
| 800 X 2000 | - | - | - | - | £175.00 |
| Custom top size | | - | - | £POA | £POA |
| | Top colours | | | | |
| Diamond White | +£0.00 | +£0.00 | +£0.00 | +£0.00 | +£0.00 |
| Buckingham Beech | - | - | +£0.00 | +£0.00 | +£0.00 |
| Ferrara Oak | - | - | - | +£10.00 | +£10.00 |
| English Walnut | - | - | - | +£10.00 | +£10.00 |
| Autumn Maple | - | - | - | +£10.00 | +£10.00 |
| Custom top colour | - | - | POA | POA | POA |
| | Top custom finish | | | | |
| Laminate | - | - | - | £POA | £POA |
| Veneer | - | - | - | £POA | £POA |
| | Optional controls (Diplomat only) | | | | |
| 2-button Control switch with 3 position memory - black |  | | | | +£28.00 |
| 2-button, 3 position memory with display- black |  | | | | +£85.00 |
| 2 button, 3 position memory, display, alarms and calorie counter "Wellness Switch" (white & green) |  | | | | +£56.00 |
| USB programming and control cable (Use with PC and software to provide 'Wellness' features on a PC display) |  | | | | +£53.00 |
| | Locking castors | | | | |
| Set of 4 | | | | | £30.00 |

Weights and packaging

| Model | Economy 200 | Operator 400 | Manager 600 | Executive 800 | Diplomat 1000 |
|-------------|----------------|-----------------|----------------|------------------|------------------|
| Weight (kg) | | | | | |
| Gross | 33.0 | 35.5 | 35.5 | 36.7 | - |
| Nett | 29.0 | 31.3 | 31.3 | 32.5 | 23.9 – 26.27 |
| Package | | | | | |
| Length | 1070 | 1280 | | | - |
| Height | 330 | 240 | | | - |
| Width | 290 | 520 | | | - |

All dimension in mm.

Frame product codes

| Model | Economy 200 | Operator 400 | Manager 600 | Executive 800 | Diplomat 1000 |
|------------|-----------------|-----------------|-----------------|------------------|------------------|
| 800mm foot | | | | | |
| Silver | GLD-ECO-800-SIL | GLD-OPR-800-SIL | GLD-MGR-800-SIL | GLD-EXE-800-SIL | GLD-DIP-WWW-SIL |
| White | GLD-ECO-800-WHT | GLD-OPR-800-WHT | GLD-MGR-800-WHT | GLD-EXE-800-WHT | GLD-DIP-WWW-WHT |
| 600mm foot | | | | | |
| Silver | - | - | GLD-MGR-600-SIL | GLD-EXE-600-SIL | GLD-DIP-WWW-SIL |
| White | - | - | GLD-MGR-600-WHT | GLD-EXE-600-WHT | GLD-DIP-WWW-WHT |

Diplomat 1000 frame width code

| WWW | |
|-------------|------------|
| Frame width | 800mm foot |
| 1200 | 128 |
| 1400 | 148 |
| 1600 | 168 |
| 1800 | 188 |
| 2000 | 208 |
| 600mm foot | |
| 1200 | 126 |
| 1400 | 146 |
| 1600 | 166 |
| 1800 | 186 |

Specifications and features subject to change without notice.



Stebul Furniture Limited
40 Washford Industrial Estate, Heming Road, Redditch, B98 0DP

T: 01527 916123

www.stebul.co.uk